


FAMES C4 – C18:3



Column

Phase	MEGA-WAX
I.D.	0.32 mm
Film Thickness	0.25 µm
Length	25 m

Chromatographic Conditions

Injector	Split	250°C
Split Ratio	1:50	
Injection Volume	1 µL	
Oven	T start	50°C
	Rate	4°C/min
	T end	210°C
Detector	FID	250°C
Carrier Gas	Hydrogen	60 kPa

Peak Identification

1	Butyric Acid ME
2	Caproic Acid ME
3	Heptanoic Acid ME
4	Caprylic Acid ME
5	Decanoic Acid ME
6	Lauric Acid ME
7	Myristic Acid ME
8	Palmitic Acid ME
9	Stearic Acid ME
10	Oleic Acid ME
11	Linoleic Acid ME
12	Linolenic Acid ME