


**NITROSAMINES – EPA METHOD 607**



**Column**

Phase	MEGA-5
I.D.	0.53 mm
Film Thickness	1.5 µm
Length	15 m

**Chromatographic Conditions**

Injection	On column	
Injection volume	1.0 µL	
Oven	T start	40°C (4 min)
	Rate	20°C/min
	T end	240°C
Detector	FID	280°C
Carrier Gas	Hydrogen	10 mL/min

**Peak Identification**

1	N-nitroso-di-methylamine
2	N-nitroso-di-n-propylamine
3	N-nitroso-di-phenylamine